

DAFTAR PUSTAKA

- Adin, Wardoyo ERP, Mukarlina. 2017. Potensi Ekstrak Gulma Daun Sembung Rambat (*Mikania micrantha* H.B.K) Sebagai Herbisida nabati Pengendali Gulma Putri Malu (*Mimosa pudica* L.). Jurnal Protobiont 6(1): 10- 14.
- Ahn, J. K., dan Chung, I. M. 2000. Allelopathic potential of rice hulls on germination and seedling growth of barnyardgrass. Agronomy Journal, 92(6), 1162- 1167.
- Anggriani, K., Fatonah, S., & Herman, H. 2013. Potensi Ekstrak Daun *Chromolaena Odorata* (L.) Dan *Piper Betle* (L.) Sebagai Herbisida Organik terhadap Penghambatan Perkecambahan Dan Pertumbuhan Mikania Micrantha (Doctoral dissertation, Riau University).
- Anwar, R., E. Suzanna dan G. H. Saputra. 2017. Uji Vigor Gulma *Echinochloa crus-galli* (L) P. Beauv terhadap Berbagai Alelopati Tumbuhan. Jurnal Agroqua: Media Informasi Agronomi dan Budidaya Perairan, 10(2), 13-18.
- Bagavathiannan, M. V., Norsworthy, J. K., Smith, K. L., & Neve, P. 2012. Seed production of barnyardgrass (*Echinochloa crus-galli* (L) P. Beauv) in response to time of emergence in cotton and rice. The Journal of Agricultural Science, 150(6), 717-724.
- Bajwa A.A., Jabran K., Shahid M., Ali H.H., Chauhan B.S., Ehsanul- lah 2016. Eco-biology and management of *Echinochloa crus- galli*. Crop Protection, 75: 151–162
- Biller, A., Boppré, M., Witte, L., dan Hartmann, T. 1994. Pyrrolizidine alkaloids in *Chromolaena odorata*. Chemical and chemoecological aspects. Phytochemistry, 35(3), 615-619.
- Budi, G. P dan O. D. Hajoeningtjas. 2013. Penerapan Herbisida Organik Ekstrak Alang-Alang Untuk Mengendalikan Gulma Pada Mentimun. Jurnal Agritech 15(1): 32 – 38
- Budiyanto, Moch. 2017. Herbisida Organik. Universitas Muhammadiyah Malang. Malang.
- Cahyati, N., dan A. Susanto. 2021. Herbisida nabati Sebagai Pengaruh Negatif Terhadap Pertumbuhan Tanaman Daun Bawang. Biolova. 2(1):1-8
- Campbell, N. A., Reece, J. B., Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., dan Jackson, R. B. 2008. Biologi edisi kedelapan jilid 2. Jakarta: Erlangga.

- Chen, P.K. dan G.R. Leather 1990. Plant growth regulatory activities of artemisinin and its related compounds. *J. Chem. Ecol.* 16: 1867- 1876
- Chin, D. V. 2001. Biology and management of barnyardgrass, red sprangletop and weedy rice. *Weed Biology and Management*, 1(1), 37-41.
- Clay, S. A., Kleinjan, J., Clay, D. E., Forcella, F., dan Batchelor, W. 2005. Growth and fecundity of several weed species in corn and soybean. *Agronomy Journal*, 97(1), 294-302
- Darana, S. 2006. Aktivitas alelopati ekstrak daun kirinyuh (*Chromolaena odorata*) dan saliara (*Lantana camara*) terhadap gulma di pertanaman teh (*Camellia sinensis*). *Jurnal Penelitian Teh dan Kina* 9(1-2):15-20.
- Dayan, F. E., J.G. Romegni., M. Tellez., A. Rimando, dan S. Duke. 2002. Natural Pesticides. p. 521-525. In D. Pimentel (ed.) *Encyclopedia of pest management*. Marcel Dekker, Inc. New York.
- Djazuli, M. 2011. Alelopati pada beberapa patanaman perkebunan dan teknik pengendalian serta prospek pemanfaatannya. *Prospektif* 10 (1): 44-50.
- Dilday, R. H., Yan, W. G., Moldenhauer, K. A. K and Gravois, K. A. 1998. Allelopathic activity in rice for controlling major aquatic weeds. *Allelopathy in rice*, 7-26.
- Don. 2000. Tanaman Gulma. PT. Gramedia Pustaka Utama: Jakarta
- Einhellig, F.A. 1995. Mechanism of Action of Allelochemicals in Allelopathy. In Inderjit, K.M.M. Dakshini and F.A. Einhellig (Eds). *Allelopathy: Organisms, Processes and Application*. American Chemical Society, Washington D.C.
- Einhellig, F.A. 2004. Mode of Allelochemical Action of Phenolic Compounds. pp. 217- 238. In F.A.Macias, J.C.G. Galindo, J.M.G. Molinillo and H.G. Cutler (Eds.). *Allelopathy : Chemistry and Mode of Action of Allelochemicals*. CRC Press, New York.
- El-Shahawy, T. A. 2007. Rice Straw As An Allelopathic Agent For Controlling Weeds. *Botany Departement. National Research Center. Cairo*.
- Gallandt, E. R. 2006. How can we target the weed seedbank. *Weed Science*, 54(3), 588-596.
- Galinato, M.I., K. Moody, dan C. M. Piggin. 1999. *Upland Rice Weeds of South and Southeast Asia*. IRRI. Makati City.
- Gomez, K.A dan A. A.Gomez. 2010. Prosedur Statistik untuk Penelitian Pertanian. UI Press, Jakarta

- Guntoro, D., Chozin, M. A., Santosa, E., Tjitrosemito, S., dan Burhan, A. H. 2009. Kompetisi antara ekotipe *Echinochloa crus-galli* (L) P. Beauv pada beberapa tingkat populasi dengan padi sawah. Jurnal Agronomi Indonesia, 37(3), 202-208.
- Hadi, M. 2008. Pembuatan kertas anti rayap ramah lingkungan dengan memanfaatkan ekstrak daun kirinyuh (*Eupatorium odoratum*). BIOMA 6(2):12-18.
- Holm, L. G., Plucknett, D. L., Pancho, J. V., dan Herberger, J. P. 1977. The world's worst weeds. Distribution and biology. University press of Hawaii.
- Hong, N. H., Xuan, T. D., Eji, T. dan Khan, T. D., 2004. Paddi Weed Control by Higher Plants from Southeast Asia. Crop Protection J. 23(3):255-261.
- Itoh, K. 1991. Life Cycles of Rice Field Weeds and Their Management in Malaysia. Tropical Agriculture Research Center. Japan.
- Isnaini L. dan A. Lestari. 2013. Potensi Allelopati *Clidemia hirta* Sebagain Herbisida. Pros Sem Nas Masy Biodiv Indon. Vol. 1 No. 6. Hal 1467 – 1471.
- Juliano, L. M., Casimero, M. C dan Llewellyn, R. 2010. Multiple herbicide resistance in barnyardgrass (*Echinochloa crus-galli* (L) P. Beauv) in direct-seeded rice in the Philippines. International Journal of Pest Management, 56(4), 299-307.
- Junaedi A, Chozin M.A, Kim K.H. 2006. Perkembangan terkini kajian alelopati. Hayati J Biosci. 13(2):79–84.
- Kacan, K., Tursun, N., Ullah, H., dan Datta, A. 2020. Barnyardgrass (*Echinochloa crus-galli* (L) P. Beauv (L.) P. Beauv.) resistance to acetolactate synthase-inhibiting and other herbicides in rice in Turkey.
- Kamsurya, M.Y. 2010. Pengaruh Alelopati Ekstrak Daun Kirinyuh (*Chromolaena odorata*) terhadap Pertumbuhan dan perkembangan Tanaman Jagung (*Zea mays* L.). Jurnal Agrohut. 1(1):25-30.
- Kholifah, N., Syaifudin E.A., dan Sofian. 2018. Respon Perkecambahan dan Pertumbuhan Gulma Rumput Jawan (*Echinochloa cruss-galli* (L) P. Beauv) pada Pemberian Ekstrak Kirinyuh(*Chromolaena odorata* (L.) R.M. King dan H.E. Rob.). Jurnal Agroteknologi Tropika Lembab. 1(1):67-76.
- Kristanto. 2006. Perubahan karakter tanaman jagung (*Zea mays* L.) akibat alelopati dan persaingan teki (*Cyperus rotundus* L.). J. Indon. Trop. Anim. Agric., 31(3), 189-194.

- Kurniawan, A., Yulianty, Y dan Nurcahyani, E. 2019. Uji potensi herbisida nabati ekstrak daun mahoni (*Swietenia mahagoni* (L.) Jacq) terhadap pertumbuhan gulma maman ungu (*Cleome rutidosperma* DC). Biosfer: Jurnal Tadris Biologi, 10(1), 39-46.
- Manguntungi, B., Kusuma, A.B., Yulianti., Asmawati., Yunianti., 2016. Pengaruh Kombinasi Ekstrak Kirinyuh (*Chromolaena odorata*) dan Sirih (*Piper betle* L) dalam Pengendalian Penyakit Vibrosis pada Udang, *Biota*, 1(3):138-144.
- Marambe B, Amarasinghe L. 2002. Propanil-resistant barnyardgrass (*Echinochloa crus-galli* (L) P. Beauv (L) P. Beauv (L.) Beauv.] in Sri Lanka: seedling growth under different temperatures and control. *Weed Biol Manag*. 2(4):194–199.
- Marchesi, C., dan Chauhan, B. S. 2019. The efficacy of chemical options to control *Echinochloa crus-galli* (L) P. Beauv (L) P. Beauv in dry-seeded rice under alternative irrigation management and field layout. *Crop Protection*, 118(46):72-78
- Marina, T dan Ahadiyat, Y. G. 2016. Respons Pertumbuhan Jagung (*Zea Mays* L.) terhadap Pemberian Ekstrak Gulma: Skala Laboratorium. *Jurnal Agrin* 20(1): 54-63
- Mines dan Water. 2006. Siam Weed. Declared No. 1. Natural Resources, Mines and Water. Pers Series, Queensland, Australia, 1–4
- Muniappan, R., dan Marutani, M. 1988. Ecology and distribution of *Chromolaena odorata* in Asia and the Pacific. In Proceedings of the First International Workshop on Biological Control of *Chromolaena odorata*, Ag. Exp. Sta., University of Guam, Mangilao, USA, Bangkok, Thailand (pp. 21-24).
- Narwal, S. S. 2000. Allelopathy in ecological agriculture. In Allelopathy in Ecological Agriculture and Forestry (pp. 11-32). Springer, Dordrecht.
- Narwal, S.S. dan D.A. Sampietro. 2009. Allelopathy and Allelochemicals. Pp. 3-5. In D.A.Sampietro, C.A.N. Catalan, M.A. Vattuone and S.S. Narwal. (eds.). Isolation, Identification and Characterization of Allelochemicals/Natural Products. Science Publishers, Plymouth.
- Onwugbuta-Enyi, J. 2001. Allelopathic effects of *Chromolaena odorata* (L.) RM King and HE Rob. (Awolowo plant) toxin on tomatoes (*Lycopersicum esculentum* Mill). *J. Appl. Sci. Environ. Manage*. 5:69-73.
- Paiman. 2020. Gulma Tanaman Pangan. UPY press. Jogjakarta

- Phan, T. T., L. Wang, P. See, R. J. Grayer, S. Y. Chan dan S. T. Lee. 2001. Phenolic Compounds of *Chromolaena odorata* (L.) RM King and HE Rob. Protect Cultured skin cells from Oxidative Damage: Implication for Cutaneous Wound Healing. Biological and Pharmaceutical Bulletin 24: 1373-1379.
- Pink, A. 2004. Gardening for the Million Project. Literary Archive Foundation, Gutenberg.
- Praviradiputra, B. R. 2007. Kirinyuh (*Chromolaena odorata* (L) R.M. King dan H. Robinson) Gulma Padang Rumput yang Merugikan. 17(1):46-52.
- Purba, E. 2009. Keanekaragaman herbisida dalam pengendalian gulma mengatasi populasi gulma resisten dan toleran herbisida. Universitas Sumatera Utara
- Qasem, J. R dan C. L. Foy. 2001. Weed allelopathy, its ecological impacts and future prospects. Journal Crop Production 4(2):43-119.
- Rahayu, E.S. 2001. Kulit Buah Jengkol Sebagai Herbisida Alami Pada Pertanaman Padi Sawah. Hasil Pengembangan Dan Penerapan Teknologi (P & PT) 2 (4): 254- 260
- Rana, D. C. E., Rondonuwu, S., dan Koneri, R. (2020). Pemberian Ekstrak Daun Kiara Payung (*Filicium decipiens* (Wight dan Arn.) Thwaites) sebagai Herbisida nabati terhadap Pertumbuhan Gulma Babadotan (*Ageratum conyzoides* L.). Jurnal bios logos, 10(2), 41-47.
- Ratna, D. I. 2002. Pengaruh Kombinasi Konsentrasi Pupuk Hayati dengan Pupuk Organik Cair Terhadap Kualitas dan Kuantitas Hasil Tanaman Teh (*Camelia sinensis* (L.) O. Kuntze) Klon Gambung 4. Ilmu Pertanian 10 (2): 17-25.
- Sari, V. I., Hafif, R. A dan Soesatrijo, J. (2017). Ekstrak gulma kirinyuh (*Chromolaena odorata*) sebagai herbisida nabati pra tumbuh untuk pengendalian gulma di perkebunan kelapa sawit. Jurnal Citra Widya Edukasi, 9(1), 71-79.
- Sastroutomo, S. S. 1990. Ekologi Gulma, PT. Gramedia Pustaka Utama
- Shao-Lin, P., W. Jun dan G. Qin-Feng. 2004. Mechanism and variety of allelochemicals. Acta Botany Sinica 46(7): 757-766
- Sharma, P., A.B. Jha, R.S. Dubey dan M. Pessarakli. 2012. Reactive Oxygen Species, Oxidative Damage and Antioxidative Defense Mechanism in Plant Under Stressful Conditions. Review Article. J. Bot. Vol 2012. Article ID 217037. doi: 10.1155/2012/217037.

- Siharis., Himaniarwati dan R. Regikal. 2018. Uji Aktivitas Larvasida Ekstrak Etanol Daun Kirinyuh (*Chromolaena odorata*) Terhadap Larva Nyamuk *Aedes aegypti* Instar III. Universitas Tujuh Belas Agustus 1945, Jakarta.
- Singh., H.P., D.R. Batish, S. Kaur, N. Setia, dan R.K. Kohli 2005. Effect of 2-benzoxazolinone on the germination, early growth and morphogenetic respon of mug bean (*Phaseolus aureus*). Ann. Appl. Biol. 147:267-274.
- Sipayung, A., R. D. D Chenon dan P.S. Sudharto. 1991. Observations on *Chromolaena odorata* (L.) R.M. King dan H. Robinson in Indonesia. Second International Workshop on the Biological Control and Management of *Chromolaena odorata*. Biotrop, Bogor.
- Sukman, Y dan Yakup. 2002. Gulma dan Teknik Pengendaliannya. Edisi Revisi. PT. raja Grafindo Persada. Jakarta.
- Susanti, A.T.A. M. Novaliza. S. Fatonah. 2014. Potensi Alelopati Ekstrak Daun *Gleichenia linearis* (Burm.) Underw. Terhadap Perkecambahan Dan Pertumbuhan Anakan Gulma *Mikania micrantha* (L.) Kunth. JOM FMIPA. Vol 1(2)
- Susilowati, E. 2012. Perkecambahan dan Pertumbuhan Gulma Bayam Duri Pada pemberian Ekstrak Kirinyuh. Skripsi. Jurusan Biologi FMIPA Universitas Sebelas Maret. Surakarta
- Suwal, M. M., Devkota, A. dan Lekhak, H. D. 2010. Allelopathic effects of *Chromolaena odorata* (L.) King & Robinson on seed germination and seedlings growth of paddy and barnyard grass. Sci. World 8:73-75.
- Syakir, M., M.H Bintoro, H. Agusta, M. Thamarin dan D. Hernita. 2004. Efektivitas Limbah Sagu Dalam Menekan Pertumbuhan Gulma Berdaun Lebar (*Borreia alata* (Aubl) DC dan *Mikania micranta* HBK). Balai Penelitian Tanaman Obat.
- Tampubolon, K., F.N Sihombing, Z. Purba, S.T.S Samosir dan S. Karim. 2018. Potensi Metabolit Sekunder Gulma Sebagai Pestisida Nabati di Indonesia. Jurnal Kultivasi. Vol.17 (3)
- Tetelay, F. 2003. Pengaruh Allelopathy Acacia Mangium Wild Terhadap Perkecambahan Benih Kacang Hijau (*Phaseolus Radiatus* L) Dan Jagung (*Zea Mays*). Jurnal Penelitian.
- Vanderwoude, C., Scanlan, J. C., Davis, B., dan Funkhouser, S. 2005. Plan for national delimiting survey for Siam weed. Natural Resources and Mines Land Protection Services: Queensland Government. 224-300.

- Waterhouse, D. F. 1994. Biological control of weeds: Southeast Asian prospects (No. 435-2016-33756).
- Weraduwage, S. M., C. Jin dan D.S. Thomas. 2015. The Relationship Between Leaf Area Growth and Biomass Accumulation in *Arabidopsis thaliana*. *Front. Plant Science*. 6 : 167
- Wilson, C. G., dan Widayanto, E. B. 2004. Establishment and spread of *Cecidochares connexa* in Eastern Indonesia. *Chromolaena* in the Asia-Pacific region.
- Wilson M.J., Norsworthy J.K., Scott R.C., dan Gbur E.E. 2014. Program approaches to control herbicide-resistant barnyardgrass (*Echinochloa crus-galli* (L) P. Beauv (L) P. Beauv) in Midsouthern United States rice. *Weed Technology*, 28(1): 39–46
- Yang, C.M., I.F.Chang, S.J. Lin dan C.H. Chou. 2004. Effect of Three Allelopathic Phenolics on Chlorophyll Acumulation of Rice (*Oryza sativa*) Seedlings : II. Stimulation of Consumption–Orientation. *Botanical Bulletin Academia Sinica*. 45: 119-125.
- Yenti, N. 2012. Efek Ekstrak Etanol Daun (*Chromolaena odorata* (L.) RM King and HE Rob.) Terhadap Kesembuhan Luka Insisi pada Tikus Sprague Dawley. Tesis./Yogyakarta: Program Studi Sains Veteriner, Universitas Gadjah Mada. Halaman 1-3.
- Yulifrianti, E., L. Riza dan L. Irwan. 2015. Potensi Alelopati Ekstrak Serasah Daun Mangga (*Mangifera indica* L.) Terhadap Pertumbuhan Gulma Rumput Grinting (*Cynodon dactylon* L.) Press. *Jurnal Protobiont*. 4 (1) : 46 – 51
- Yu JQ, Ye SF, Zhang MF, Hu WH. 2003. Effects of root exudates and aqueous root extracts of cucumber (*Cucumis sativus*) and allelochemicals, on photosynthesis and antioxidant enzymes in cucumber. *Biochem Syst Ecol* 31:129-139.
- Zachariades, C., Von Senger., I. dan Barker., N. P. 2004. Evidence for a northern Caribbean origin for the southern African biotype of *Chromolaena odorata*. *Chromolaena* in the Asia-Pacific region.
- Zhou, Y.H. dan J.Q.Yu. 2006. Allelochemicals and Photosynthesis. pp. 127-140. In M.J.. Reigosa, N.Pedrol and L. Gonzales (eds.) : *Alelopathy : A Physiological Process with Ecological Implications*. Springer. Netherlands.
- Ziadaturrif'ah, D., Darmanti, S., dan Budihastuti, R. 2019. Potensi autoalelopati ekstrak daun kirinyuh (*Chromolaena odorata* (L.) RM King and HE Rob.). *Buletin Anatomi dan Fisiologi* (Bulletin of Anatomy and Physiology), 4 (2), 129-136.