

DAFTAR PUSTAKA

- Abdullahi, S. (2018). *Occurrence And Distribution Of Moss Plants In Relation To Substrate Types In Selected Parts Of Northwestern Nigeria*. (April).
- Adhitya, F., Sri Ariyanti, N., & Ratna Djuita, N. (2014). Keanekaragaman Lumut Epifit pada Gymnospermae di Kebun Raya Bogor. *Floribunda*, 4(8), 212–217.
- Agustiorini, S., & Ariyanti, N. S. (2018). Rekaman Baru Fissidens (Bryophyta: Fissidentaceae) Untuk Borneo. *Floribunda*, 6(1), 12–18. <https://doi.org/10.32556/floribunda.v6i1.2018.236>
- Al Fajri, M. T. (2019). *Keanekaragaman Lumut (Bryohyta) di Sekitar Kawasan Wisata Air Terjun Tumpak Sewu Kabupaten Lumajang*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Aprilia, D. A., & Wulandari, T. S. H. (2022). E-Modul Biologi Berbasis Potensi Lokal Pada Materi Tumbuhan Ditinjau Dari Uji Validitasnya. *BIOPEDIX*, 9, 82–88.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010a). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Brachythecium rivulare*. *British Bryological Society*, 8.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010b). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Breutelia chrysocoma*. *British Bryological Society*, 64.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010c). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Chiloscyphus polyanthos*. *British Bryological Society*, 187.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010d). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Hypnum cupressiforme*. *British Bryological Society*, 21–23.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010e). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Metzgeria conjugata*. *British Bryological Society*, 67.
- Atherton, I., Bosanquet, S., & Lawley, M. (2010f). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Riccardia chamedryfolia / multifida*. *British Bryological Society*, 243.

- Atherton, I., Bosanquet, S., & Lawley, M. (2010g). Mosses And Liverworts Of Britain And Ireland: A Field Guide: *Thuidium Delicatulum/Assimile*. In *British Bryological Society*.
- Auditia, F., & Nugroho, H. (2021). *Evaluation Of Aster, And Demnas Dem Data For Lahar Modelling : A Case Study Of Lahar From Mount Galunggung, Indonesia*. 460–467.
- Bagwan, S. A., & Kore, B. A. (2015). Species diversity of genus Riccia in Satara district (Maharashtra) India. *Plant Science Today*, 2(4), 187–191. <https://doi.org/10.14719/pst.2015.2.4.160>
- Bakalin, V. A., & Klimova, K. G. (2020). A review of Radulaceae (Marchantiophyta) in the Russian Far East. *Botanica Pacifica*, 9(2), 1–21. <https://doi.org/10.17581/bp.2020.09204>
- Barnabas, S. M. (2016). Keanekaragaman Lumut (Bryphyta) Di Kawasan Danau Tambing Taman Nasional Lore Lindu Dan Pengembangannya Sebagai Media Pembelajaran. *E-Jurnal Mitra Sains*, 4(1), 76–84.
- Berg, L. (2008). *Introductory Botany : Plants, People, and The Environment* (Second Edi). USA: Thomson Brooks/Cole.
- Bosanquet, S., Hill, M., & Pisces, C. P. (2015). *Mosses and liverworts of Atlantic woodlands of southwest England*. (August), 3–4.
- Botting, R. S., & Fredeen, A. L. (2006). Contrasting terrestrial lichen, liverwort, and moss diversity between old-growth and young second-growth forest on two soil textures in central British Columbia. *Canadian Journal of Botany*, 84(1), 120–132. <https://doi.org/10.1139/b05-146>
- Câmara, P. E. A. S., Carvalho-Silva, M., & Buck, W. R. (2015). The genus *Acroporium* (Sematophyllaceae) in the neotropics. *Journal of Bryology*, 37(4), 284–291. <https://doi.org/10.1179/1743282014Y.0000000126>
- Cargill, D. C., Neal, W. C., Sharma, I., & Gueidan, C. (2016). A preliminary molecular phylogeny of the genus *Riccia* L. (Ricciaceae) in Australia. *Australian Systematic Botany*, 29(3), 197–217. <https://doi.org/10.1071/SB16018>
- Crooks, V. (2021). Bryophytes. Retrieved from Smithsonian Tropical Research Institute website: <https://stri.si.edu/story/bryophytes>

- David. (2015a). Mosses & liverworts of Whiteknights : 4. Saproxylic Mosses & liverworts. Retrieved from The University of Reading Whiteknights website: <https://blogs.reading.ac.uk/whiteknightsbiodiversity/2015/04/30/mosses-and-liverworts-of-whiteknights-4-saproxylic-mosses-liverworts/>
- David. (2015b). Mosses & liverworts of Whitenights : 3. Saxicolous Mosses.
- Diki, S. A. A., Mukmin, B. A., & Wenda, D. N. (2022). *Pengembangan Media Kotak Nusantara Terhadap Kemampuan Mengidentifikasi Keberagaman Suku Bangsa Dan Budaya Di Indonesia Pada Siswa Kelas IV Sekolah Dasar*. 4(2), 109–112.
- Duarte, S. (2020). *The Functions of Ethylene-signaling in the Regulation of Gemma Dormancy and Germination in the Liverwort Marchantia polymorpha*.
- Endang, T., Jumiati, J., & Pramesti I. A, D. (2020). Inventarisasi Jenis-Jenis Lumut (Bryophyta) di Daerah Aliran Sungai Kabura-Burana Kecamatan Batauga Kabupaten Buton Selatan. *Jurnal Biologi Tropis*, 20(2), 161. <https://doi.org/10.29303/jbt.v20i2.1807>
- Erzberger, P. (2016). The genus Fissidens (Fissidentaceae, Bryophyta) in Hungary. *Studia Botanica Hungarica*, 47(1), 41–139. <https://doi.org/10.17110/studbot.2016.47.1.41>
- Fahmawati, Y. (2018). *Klasifikasi Tumbuhan*. Bandung: Puripustaka.
- Fanani, M., Afriyansyah, B., & Haerida, I. (2019). keanekaragaman Lumut (Bryophyta) di Bukit Muntai Kabupaten Bangka Selatan. *Jurnal Penelitian Biologi Dan Pertanian*, 1(13), 43–47.
- Fastanti, F. S., & Wulansari, T. Y. I. (2021). *The Dynamics Of Bryophytes Species Diversity In The Lowland Ecosystems, Cibinong Science Center*. 8(2).
- Fathia, A. A., Hilwan, I., & Kusmana, C. (2019). Species Composition and Stand Structure in sub-montane Forest of Mount Galunggung, Tasikmalaya, West Java. *IOP Conference Series: Earth and Environmental Science*, 394(1). <https://doi.org/10.1088/1755-1315/394/1/012012>
- Febriansah, R., Setyowati, E., & Fauziah, A. (2019). Identifikasi Keanekaragaman Marchantiophyta Di Kawasan Air Terjun Parangkikis Pagerwojo Tulungagung. *Jurnal Biologi Dan Pembelajarannya (JB&P)*, 6(2), 17–21. <https://doi.org/10.29407/jbp.v6i2.14795>
- Firdaus, F. (2020). *Keanekaragaman dan Pola Distribusi Tumbuhan Lumut (Bryophyta) di Jalur Pendakian Gunung Penanggungan Jawa Timur*. Universitas Islam Negeri Maulana Malik Ibrahim Malang.

- Firmansyah, D. Z. T. W. (2018). *Perancangan media promosi wisata gunung galunggung kabupaten kabupaten tasikmalaya, jawa barat.* 5(1), 291–298.
- Fitria, R., Kamal, S., & Eriawati. (2018). *Keanekaragaman Lumut (Bryophytes) pada Berbagai Substrat di Kawasan Sungai Pucok Krueng Raba Kecamatan Lhoknga Kabupaten Aceh Besar.* 460–466.
- Fraenkel, J. R., Wallen, N. E., & Hyun, H. H. (2012). *How To Design And Evaluate Research In Education* (8th ed.). New York: McGraw-Hill Education.
- Gago, J., & Wae, V. P. S. M. (2021). Implementasi JAS (Natural Surrounding Exploration) Based Plant Determination Practicum Model At Kelimutu National Park. *Pajar*, 5(2), 475–483.
- Glime, J. M. (2017a). *Bryophyte Ecology*. Michigan Technological University dan The Internasional Association of Bryologists.
- Glime, J. M. (2017b). Chapter 4-1 Adaptive Strategies: Phenology, What Does It Mean? *Bryophyte Ecology*, 1. Retrieved from <https://blogs.reading.ac.uk/whiteknightsbiodiversity/2015/02/22/mosses-liverworts-of-whiteknights-3-saxicolous-mosses/>
- Glime, J. M. (2021a). Chapter 1-10 Aquatic and Wet Marchantiophyta, Class Jungermanniopsida : Radulaceae and Ptilidiaceae. *Bryophyte Ecology*, 4(April), 1–36.
- Glime, J. M. (2021b). Chapter 1-11 : Aquatic and Wet Marchantiophyta, Order Metzgeriales : Aneuraceae. *Bryophyte Ecology*, 4(April), 1–50.
- Glime, J. M. (2021c). Chapter 1-12: Aquatic and Wet Marchantiophyta , Order Metzgeriales: Metzgeriaceae And Calyculariaceae. *Bryophyte Ecology*, 4(May), 1–18.
- Gradstein, S. R. (2011). *Guide To The Liverworts And Hornworts Of Java*. Bogor: Southeast Asian Regional Centre for Tropical Biology.
- Gradstein, S. R., Churchill, S. P., & Allen, N. S. (2001). *Guide to the Bryophytes of Tropical America*. New York: The New York Botanical Garden Press.
- Gustiani, R., & Syamsurizal, S. (2021). Analisis Kebutuhan Pengembangan Booklet sebagai Suplemen Bahan Ajar pada Materi Struktur dan Fungsi Jaringan Hewan Kelas. *Jurnal Pendidikan Tambusai*, 5, 7242–7246.

- Hallingback, T., & Hodgetts, N. (2000). *Mosses, Liverworts, and Hornworts. Status Survey and Conservation Action Plan for Bryophytes. IUCN/SSC Bryophyte Specialist Group.* Oxford, United Kingdom: IUCN, Gland, Switzerland and Cambridge.
- Hariyanto, S., Irawan, B., & Soedarti, T. (2008). *Teori dan Praktik Ekologi.* Surabaya: Airlangga University Press.
- Hasanah, I. U., Syarofah, A. F., Sulistiani, D., Zatunni, A., Biologi, T., & Kudus, I. (2020). *Memahami Sukses dari Sudut Pandang yang Berbeda : “Studi Kasus pada Rumah Kosong .”* 1(2), 29–34.
- Hidayat, R. (2018). *Strategi Pengelolaan Objek Wisata Curug Batu Blek Untuk Meningkatkan Kunjungan Wisatawan Di Tasikmalaya Jawa Barat.* STIPRAM Yogyakarta.
- Ignatov, M. S., & Koponen, T. (1996). On the taxonomy of some East Asian *Brachythecium* (Brachytheciaceae, Musci). *Annales Botanici Fennici*, 33(4), 285–301.
- Ignatova, E. A., & Samkova, T. Y. (2006). *Campylopus umbellatus* (Arn.) Paris (Leucobryaceae, Musci) – a new species for Russia. *Arctoa*, 15(1), 215–218. <https://doi.org/10.15298/arctoa.15.11>
- Imu, U. C., Purnamasari, A. B., & Liana, A. (2019). Identifikasi Tumbuhan Lumut di Kawasan Wisata Taman Nasional Bantimurung. *Bionature*, 20(2), 147. <https://doi.org/10.35580/bionature.v20i2.11288>
- Indriani, L., Primandiri, P. R., & Sulistiono. (2019). Inventarisasi Lumut Terestrial di Roro Kuining Nganjuk. *Seminar Nasional XI Pendidikan Biologi FKIP UNS*, 340–343.
- ITIS. (2022a). *Acroporium*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=16413#null
- ITIS. (2022b). *Anthocerophyta*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=500000#null
- ITIS. (2022c). *Barbula indica*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=548249#null

- ITIS. (2022d). *Brachythecium rivulare*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=16237#null
- ITIS. (2022e). *Bryophyta*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=14189#null
- ITIS. (2022f). *Calohypnum plumiforme*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=1136446#null
- ITIS. (2022g). *Campylopus umbellatus*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=1136191#null
- ITIS. (2022h). *Chiloscyphus pallescens*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=14561#null
- ITIS. (2022i). *Dumortiera histusa*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt%0A/SingleRpt?search_topic=TSN&search_value%0A=15590#null%0A
- ITIS. (2022j). *Fissidens dubius*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=547787#null
- ITIS. (2022k). *Hypnum cupressiforme*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=548242#null
- ITIS. (2022l). *Lophocolea bidentata*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=14546#null

- ITIS. (2022m). *Marchantia emarginata*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=1113018#null
- ITIS. (2022n). *Marchantia polymorpha* L. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15587#null
- ITIS. (2022o). *Marchantiophyta*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=846119#null
- ITIS. (2022p). *Metzgeria conjugata*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15478#null
- ITIS. (2022q). *Phaeoceros laevis* (L.) Prosk. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15673#null
- ITIS. (2022r). *Philonotis hastata*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=1136268#null
- ITIS. (2022s). *Racopilum cuspidigerum*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=1136281#null
- ITIS. (2022t). *Radula complanata* (L.) Dumort. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15150#null
- ITIS. (2022u). *Riccardia multifida*. Retrieved from Integrated Taxonomy Information System website: https://www.itis.gov/servlet/SingleRpt/Single%0ARpt?search_topic=TSN&search_value=15470#null%0A

- ITIS. (2022v). Riccia. Retrieved from Integrated Taxonomy Information System website:
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15617#null
- ITIS. (2022w). Superdivision Embryophyta. Retrieved from Integrated Taxonomy Information System website:
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=954900#null
- ITIS. (2022x). Thuidium delicatulum. Retrieved from Integrated Taxonomy Information System website:
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=16132#null
- Karomah, siti dewi, Gurnita, & Ibrahim, Y. (2020). Identifikasi Jenis-Jenis Tumbuhan Lumut Hati (Marchantiophyta) Di Hutan Cagar Alam Situ Patenggang. & *Pend.Bio*, 5(2), 21–25. Retrieved from <https://journal.unpas.ac.id/index.php/biosfer/article/view/3479>
- Kasiani, Afriyansyah, B., Juairiah, L., & Windadri, F. I. (2019). *Keanekaragaman dan Rekaman Baru Jenis Lumut di Pulau Sumatra*. 6(3).
- Kimmerer, R. W., & Driscoll, M. J. L. (2000). Bryophyte species richness on insular boulder habitats: The effect of area, isolation, and microsite diversity. *Bryologist*, 103(4), 748–756. [https://doi.org/10.1639/0007-2745\(2000\)103\[0748:BSROIB\]2.0.CO;2](https://doi.org/10.1639/0007-2745(2000)103[0748:BSROIB]2.0.CO;2)
- Lestiani, A., Lestari, R. S. D., Rizkia, R. A., Pratiwi, A. M., Azrai, E. P., & Rini, D. S. (2021). *Survei keberagaman lumut dan pohon inang di kawasan Kebun Raya Bogor*. 4(1), 51–62.
- Lukitasari, M. (2018). Mengenal Tumbuhan Lumut (Bryophyta) Deskripsi, Klasifikasi, Potensi, dan Cara Mempelajarinya. In *Magetan: CV. AE Media Grafika*.
- Magdalena, I., Sundari, T., Nurkamilah, S., Nasrullah, & Ayu Amalia, D. (2020). Analisis Bahan Ajar. *Jurnal Pendidikan Dan Ilmu Sosial*, 2(2), 311–326. Retrieved from <https://ejournal.stitpn.ac.id/index.php/nusantara>
- Marhento, G., & Zaenab, C. (2021). Biodiversitas Lumut Epifit di Gunung Kendeng Dalam Kawasan Taman Nasional Gunung Halimun Salak Jawa Barat. *Seminar Nasional Masyarakat Etnobiologi Indonesia*.
- Mufidah, I., Susanto, H., & Sudirman. (2021). *Analisis Kebutuhan Bahan Ajar Matematika Siswa SMK Kelas X*. 6(2), 1–7.

- Mulyanie, E. (2017). Sebaran Dan Potensi Wisata Air Terjun Di Kabupaten Tasikmalaya. *Prosiding Seminar Nasional Geografi UMS*.
- Mundir, M. I., Setyowati, E., & Santoso, A. M. (2013). *Inventarisasi Lumut Terestrial Di Kawasan Wisata Air Terjun Irenggolo Kabupaten Kediri*. 1–4.
- Nabila, I. N., Irwandi, & Sri, H. M. (2020). Jenis-jenis Tumbuhan Lumut (Bryophyta) pad Berbagai Substrat di Desa Pasar Melintang Kota Bengkulu. *Seminar Nasional Biotik*, 172–182.
- Nikmah Rahmatih, A., Yuniaستuti, A., & Susanti, R. (2018). Pengembangan Booklet Berdasarkan Kajian Potensi Dan Masalah Lokal Sebagai Suplemen Bahan Ajar SMK PERTANIAN. *Seminar Nasional Pendidikan Biologi Dan Saintek III*, 474–481.
- Novianti, P., & Syamsurizal, S. (2021). Booklet sebagai Suplemen Bahan Ajar pada Materi Kingdom Animalia untuk Peserta Didik Kelas X SMA/MA. *Jurnal Edutech Undiksha*, 9(2), 225. <https://doi.org/10.23887/jeu.v9i2.40438>
- Nozaki, H., Hayashi, K. I., Nishimura, N., Kawaide, H., Matsuo, A., & Takaoka, D. (2007). Momilactone A and B as allelochemicals from moss Hypnum plumaeforme: First occurrence in bryophytes. *Bioscience, Biotechnology and Biochemistry*, 71(12), 3127–3130. <https://doi.org/10.1271/bbb.70625>
- Pasaribu, P. O., Hafidhuddin, I., Darmawan, A. M., Arnelya, A., Putri, M., Asharo, R. K., ... Rizkawati, V. (2022). Identifikasi Lumut di Kawasan Taman Nasional Situ Gunung Sukabumi. *Jurnal Pendidikan MIPA*, 12.
- Perhutani. (2020). Curug Cikahuripan, Objek Wisata Terbaru Perhutani di Kawasan Galunggung. Retrieved from Perhutani website: <https://www.perhutani.co.id/curug-cikahuripan-objek-wisata-terbaru-perhutani-di-kawasan-galunggung/>
- Pramuseto, J., Marlina, L., & Zuhri, R. (2020). Identifikasi Tumbuhan Pionir Di Area Bekas Tambang Biji Besi Desa Pulau Layang, Kecamatan Batang Masumai. *Biocolony*, 3(2), 1–4.
- Purbasari, Y. A., & Akhmad, A. N. (2019). Keanekaragaman Bryophyta Di Dusun Sumbercanduk Kabupaten Jember. *BIOMA: Jurnal Biologi Dan Pembelajaran Biologi*, 84(10), 1511–1518. <https://doi.org/10.1134/s0320972519100129>
- Purre, A. H., & Ilomets, M. (2018). Relationships between bryophyte production and substrate properties in restored milled peatlands. *Restoration Ecology*, 26(5), 858–864. <https://doi.org/10.1111/rec.12656>

- Purwanti, Manurung, T. F., & Kartikawati, S. M. (2021). *Identifikasi Jenis Anggrek Epifit (Orchidaceae) di Kawasan Arboretum Sylva Universitas Tanjungpura Pontianak*. 9, 67–82.
- Putra, R. R., & Fitriani, R. (2018). *Identifikasi Morfologi Tumbuhan Kantong Semar (Nepenthes sp.) sebagai Bahan Ajar Tumbuhan Tingkat Tinggi di Kawasan Wisata Gunung Galunggung Kabupaten Tasikmalaya*. 5(5), 85–90. <https://doi.org/10.25273/florea.v5i>
- Putra, R. R., Hernawati, D., & Fitriani, R. (2019). Identifikasi Tumbuhan Lumut di Kawasan Wisata Gunung Galunggung Kabupaten Tasikmalaya Jawa Barat. *BIOMA*, 21(2).
- Putri, N. H., Syamsurizal, S., Atifah, Y., & Fuadiyah, S. (2021). Booklet Sistem Ekskresi pada Manusia sebagai Suplemen Bahan Ajar Biologi Kelas XI SMA. *Journal for Lesson and Learning Studies*, 4(3), 309–314. Retrieved from <https://ejournal.undiksha.ac.id/index.php/JLLS/article/view/38136>
- Rahma, A. N., & Hardiansyah, N. (2022). *Pengembangan Bahan Ajar Konsep Sistem Pernapasan Kelas XI SMA Berbentuk Booklet Elektronik*. 14, 45–50. <https://doi.org/10.25134/quagga.v14i1.5080>.Received
- Rahmi, & Syamsurizal, S. (2021). *Meta-Analisis Validitas Booklet Materi Ekosistem Sebagai Suplemen Bahan*. 01(2), 51–57.
- Raihan, C., Nurashia, & Zahara, N. (2018). Keanekaragaman Tumbuhan Lumut (Bryophyta) di Air Terjun Peucari Jantho Kabupaten Aceh Besar. *Prosiding Seminar Nasional Biotik*, 5(2), 439–451.
- Rajan, S. S., & Murugan, K. (2009). *A Survey of Moss Flora From Ponmudi Hills*. 22(2), 263–266.
- Ramsay, H. P. (2012). Acroporium. *Nasional Herbarium Of New South Wales*, 5(1864), 1–7.
- Retawidyaningrum, D. A., Wulandari, E., & Triatmanto. (2021). The Inventory Of Moss At The Nglanggeran Ancient Volcano Area, Gunung Kidul, Yogyakarta. *Conference On Research, Implementation And Education Of Mathematics And Sciences (8 Th ICRIENS)*. Yogyakarta: FMIPA Universitas Negeri Yogyakarta.
- Rini, Z. A. (2019). Identifikasi Lumut Di Kawasan Cagar Alam Watangan Puger Kabupaten Jember dan Pemanfaatannya sebagai Booklet. *Skripsi*.

- Ristanto, R. H., Syahira, H. Q., Yuanisa, A. T., Amalia, A., Lianita, R., Azzahra, A., & Sigit, D. V. (2021). Mosses At The Bodogol Natural Conservation Education Center: Spesies, Diversity Index, And Evenness Index. *Jurnal Pendidikan Biologi*, 12(2), 146–157.
- Riyana, Y., Gendro Sari, S., & Gunawan, G. (2020). Bryophyta di Sekitar Kawasan Bandar Udara Internasional Syamsudin Noor Kalimantan Selatan. *Jurnal Jejaring Matematika Dan Sains*, 2(2), 36–40. <https://doi.org/10.36873/jjms.2020.v2.i2.402>
- Rohmah, S. N. (2018). Identifikasi Tumbuhan Lumut Di Kawasan Hutan Wisata Air Terjun Jumog Ngargoyoso Karanganyar Jawa Tengah. *Universitas Muhammadiyah Surakarta*, 1–26.
- Ruggiero, M. A., Gordon, D. P., Orrell, T. M., Bailly, N., Bourgoin, T., Brusca, R. C., ... Kirk, P. M. (2015). A higher level classification of all living organisms. *PLoS ONE*, 10(4), 1–60. <https://doi.org/10.1371/journal.pone.0119248>
- Rusidi, Henri, & Santi, R. (2021). Keanekaragaman jenis lumut (Bryophyta) di Bukit Nenek Taman Wisata Alam Gunung Permisan , Kabupaten Bangka Selatan. *Jurnal Biologi UDAYANA*, 25(2), 137–146.
- Sasongko, H., Salamah, Z., & Nurjanah, U. (2020). Inventory and Characterization of Mosses Diversity (Bryophyta) in Sewu Temple Yogyakarta. *ATLANTIS PRESS*, 10(ICoBioSE 2019), 192–199. <https://doi.org/10.2991/absr.k.200807.039>
- Scooley, J. (1997). *Introduction to Botany*. USA: Delmar Publisher.
- Singh, D., & Singh, D. K. (2017). Two new species of Riccardia (Aneuraceae, Marchantiophyta) from Eastern Himalaya, India with notes on the genus in Sikkim. *Taiwania*, 62(1), 33–42. <https://doi.org/10.6165/tai.2017.62.33>
- Siregar, E. S., Ariyanti, N. S., & Tjitrosoedirdjo, S. S. (2013). The liverwort genus marchantia (marchantiaceae) of mount sibayak North Sumatra, Indonesia. *Biotropia*, 20(2), 73–80. <https://doi.org/10.11598/btb.2013.20.2.3>
- Siregar, E. S., Pasaribu, N., & Sofyan, M. Z. (2020). Morphological Study on Marchantia emarginata Reinw, Blume et Nees in North Sumatra Indonesia. *SCITEPRESS - Science and Technology Publication*, (1), 1073–1075. <https://doi.org/10.5220/0010101810731075>

- Solihat, S. S., & Kurnia, M. F. (2021). Identifikasi Morfologi Marchantia polymorpha dan Leucobryum glaucum di Bojong Menteng, Kecamatan Cijeruk, Kabupaten Bogor, Jawa Barat. *Tropical Bioscience : Journal of Biological Science*, 1(1), 29–38. Retrieved from <http://jurnal.uinbanten.ac.id/index.php/tropicalbiosci/article/view/4360/3049>
- Sugiyono. (2019). *Metode Penelitian Kuantitatif* (2nd ed.). Bandung: Alfabeta.
- Suharti, R. (2013). *Keanekaragaman Lumut Sejati Di Taman Nasional Gunung Merapi Sleman , Yogyakarta.*
- Sujadmiko, H., & Vitara, P. edelweiss. (2021a). *Tumbuhan lumut di kampus ugm.* Yogyakarta: Gadjah Mada University Press.
- Sujadmiko, H., & Vitara, P. edelweiss. (2021b). *Tumbuhan Lumut Di Kampus UGM.* Yogyakarta: GADJAH MADA UNIVERSITY PRESS.
- Sukamto, D. S. (2021). *Keanekaragaman Jenis Lumut (Bryophyta) Di Daerah Aliran Sungai Bedadung Jember.* 3(2).
- Supardi, A. (2016). Jurnal Ilmiah Pendidikan Dasar. *Penggunaan Multimedia Interaktif Sebagai Bahan Ajar Suplemen Dalam Peningkatan Minat Belajar*, 8, 161–167.
- Suryana, Iskandar, J., Perikesit, Partasasmita, R., & Irawan, B. (2018). Struktur Vegetasi Kawasan Hutan Pada Zona Ketinggian Berbeda di Kawasan Gunung Galunggung Kabupaten Tasikmalaya Jawa Barat. *Jurnal Ilmu Lingkungan*, 16(2), 130. <https://doi.org/10.14710/jil.16.2.130-135>
- Suryana, Iskandar, J., Perikesit, Pastasasmita, R., & Irawan, B. (2018). Struktur Vegetasi Kawasan Hutan Pada Zona Ketinggian Berbeda di Kawasan Gunung Galunggung Kabupaten Tasikmalaya Jawa Barat. *Jurnal Ilmu Lingkungan*, 16(2), 130. <https://doi.org/10.14710/jil.16.2.130-135>
- Tjitosoepomo, G. (2014). *Taksonomi Tumbuhan (Schizophyta, Thallophyta, Bryophyta, Pteridophyta).* Yogyakarta: Gadjah Mada University Press.
- Ulandari, T., & Syamsurizal, S. (2021). Booklet Suplemen Bahan Ajar pada Materi Protista untuk Kelas X SMA/MA. *Jurnal Penelitian Dan Pengembangan Pendidikan*, 5(2), 301–307. Retrieved from <https://ejournal.undiksha.ac.id/index.php/JJP/article/view/37688>
- United States Departement Of Agriculture. (2008). *Mosses and Liverworts of the National Forests In Alaska.*

- Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Orr, R. B. (2020). *Campbell Biology* (12th ed.). New York: Pearson Education.
- Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Reece, Ja. B. (2017). *Campbell Biology* (11th ed.). New York: Pearson Education.
- Utami, F. Y., Harmoko, H., & Fitriani, L. (2020). Eksplorasi Lumut (Bryophyta) di Kawasan Air Terjun Bukit Gatan Provinsi Sumatera Selatan. *Al-Hayat: Journal of Biology and Applied Biology*, 3(2), 93. <https://doi.org/10.21580/ah.v3i2.6143>
- Vujicic M, Sabovljevic A, & Sabovljevic M. (2011). Axenically culturing the bryophytes: establishment and propagation of the moss Hypnum cupressiforme Hedw. (Bryophyta, Hypnaceae) in vitro conditions. *Botanica Serbica*, 35(1), 71–77. Retrieved from botanicaserbica.bio.bg.ac.rs/arhiva/pdf/2011_35_1_534_full.pdf
- Wasala, W. M. P. ., & Rubasinghe, S. C. K. (2019). *Taxonomic treatment of the family Polytrichaceae Schwägr. in Sri Lanka*. 48(1), 3–17.
- Wati, T. K., Kiswardianta, B., & Sulistyarsi, A. (2016). Keanekaragaman Hayati Tanaman Lumut (Bryophitha) Di Hutan Sekitar Waduk Kedung Brubus Kecamatanpilang Keceng Kabupaten Madiun. *Florea : Jurnal Biologi Dan Pembelajarannya*, 3(1), 46. <https://doi.org/10.25273/florea.v3i1.787>
- WFO. (2022a). Breutelia chrysocoma (Hedw.) Lindb. Retrieved from WFO website: <http://www.worldfloraonline.org/taxon/wfo-0001155636>
- WFO. (2022b). Fissidens braunii. Retrieved from WFO website: <http://www.worldfloraonline.org/taxon/wfo-0001193186>
- WFO. (2022c). Pogonatum neesii. Retrieved from WFO website: <http://www.worldfloraonline.org/taxon/wfo-0001157702>
- Yohendri, S., Fafdinal, R., & Zakiah, Z. (2021). Inventarisasi Lumut Daun (Kelas Musci) di Kacamatan Entikong Kabupaten Sanggau Kalimantan Barat. *Jurnal of Biotechnology and Conservation in Wallacea*, 01(01), 42–56.
- Yohendri, S., Rafdinal, & Zakiah, Z. (2021). *Inventarisasi Lumut Daun (Kelas Musci) di Kecamatan Entikong Kabupaten Sanggau Kalimantan Barat*. 01(01), 42–56.