

ABSTRAK

Iko Gustin Imerda

**Faktor-Faktor Yang Berhubungan Dengan Pemanfaatan Pemeriksaan VCT
(*Voluntary Counseling And Testing*) pada Ibu Hamil di Wilayah Kerja
Puskesmas Mangkubumi Kota Tasikmalaya Tahun 2021**

VCT merupakan salah satu upaya deteksi dini bagi ibu hamil untuk mengetahui statusnya sudah terinfeksi HIV atau belum. Ibu hamil yang memanfaatkan layanan VCT di Puskesmas Mangkubumi masih tergolong kurang, yaitu hanya sebesar 43,2% dari total pemeriksaan ibu hamil. Tujuan penelitian ini untuk menganalisis faktor-faktor yang berhubungan dengan pemanfaatan pemeriksaan VCT pada ibu hamil di Wilayah Kerja Puskesmas Mangkubumi Kota Tasikmalaya. Jenis penelitian ini adalah *cross sectional*. Teknik pengambilan sampel menggunakan *proportionate random sampling* yaitu sebanyak 100 ibu hamil di Kecamatan Mangkubumi wilayah kerja Puskesmas Mangkubumi Kota Tasikmalaya. Mayoritas responden terdiri dari umur tergolong dewasa muda (77%), memiliki pendidikan dasar (52%), tingkat pengetahuan yang cukup (70%), sikap yang mendukung (65%), dan akses ke pelayanan yang terjangkau (67%). Hasil penelitian dengan menggunakan analisis *Chi Square* menunjukkan bahwa variabel umur, tingkat pengetahuan, sikap, dan akses ke pelayanan memiliki hubungan yang signifikan dengan pemanfaatan layanan VCT. Responden yang memanfaatkan layanan VCT di Puskesmas Mangkubumi sebanyak 50%. Oleh karena itu, Sebaiknya pihak Puskesmas Mangkubumi rutin memberikan informasi ataupun penyuluhan, sehingga ibu hamil yang melakukan pemeriksaan dapat memperoleh informasi yang jelas, sehingga cakupan ibu hamil yang memanfaatkan layanan VCT terus meningkat.

Kata Kunci : Faktor – faktor pemanfaatan VCT, pemeriksaan VCT, ibu hamil

Kepustakaan : 2005-2019

ABSTRACT

Iko Gustin Imerda

Factors Related to the Utilization of VCT (Voluntary Counseling And Testing) Examinations for Pregnant Women in the Mangkubumi Community Health Center, Tasikmalaya City in 2021

VCT is one of the early detection efforts for pregnant women to find out whether their status has been infected with HIV or not. Pregnant women who use VCT services at the Mangkubumi Health Center are still relatively low, which is only 43.2% of the total examinations for pregnant women. The purpose of this study was to analyze the factors related to the use of VCT examination in pregnant women in the Mangkubumi Health Center Work Area, Tasikmalaya City. This type of research is cross sectional. The sampling technique used was proportionate random sampling, namely 100 pregnant women in the Mangkubumi District, the working area of the Mangkubumi Health Center, Tasikmalaya City. The majority of respondents consisted of young adulthood (77%), had basic education (52%), sufficient level of knowledge (70%), supportive attitude (65%), and access to affordable services (67%). The results of the study using Chi Square analysis showed that the variables of age, level of knowledge, attitude, and access to services have a significant relationship with the use of VCT services. Those who utilize VCT services at the Mangkubumi Health Center are 50%. It is recommended that the Mangkubumi Health Center provide information or counseling regularly, so that pregnant women who carry out examinations can obtain clear information, so that the coverage of pregnant women who use VCT services continues to increase.

Keywords: VCT utilization factors, VCT examination, pregnant women

Literature: 2005-2019