

## DAFTAR PUSTAKA

- Aafia, S. (2018). Ozone Treatment in Prolongation of Shelf Life of Temperate and Tropical Fruits. *International Journal of Pure & Applied Bioscience*, 6(2), 298–303. <https://doi.org/10.18782/2320-7051.6289>
- Arista, N. I. D. (2021). *Penanganan Pasca Panen Sayuran Serta Strategi Sosialisasinya Kepada Masyarakat Ditengah Pandemi Covid-19*. 207–216. <https://doi.org/10.25047/agropross.2021.223>
- Atmoko, D. F., Nashrullah, E., Sg, U., & Syawaludin, B. (2015). Rancang Bangun Modul Pencacah 16 Bit 3 Input Dengan Komunikasi Tcp / Ip Untuk Portal Monitor Radiasi Pmr15. *Prima*, 12(November), 29–37.
- Badura, M., Batog, P., Drzeniecka-Osiadacz, A., & Modzel, P. (2022). Low-and Medium-Cost Sensors for Tropospheric Ozone Monitoring—Results of an Evaluation Study in Wrocław, Poland. *Atmosphere*, 13(4). <https://doi.org/10.3390/atmos13040542>
- Balawejder, M., Matłok, N., Sowa, W., Kończyk, N., Ćwiklińskiej, S., & St, Ć. (2021). *EFFECT OF TWO TYPES OF OZONE TREATMENTS ON THE QUALITY OF APPLE FRUITS*. XXV(2), 285–292.
- Cahyono, W. E. (2005). Pengaruh Penipisan Ozon Terhadap Kesehatan Manusia. *Semnas Penelitian, Pendidikan Dan Penerapan MIPA*, 208–214.
- Cahyono, W. E. (2006). Dampak Peningkatan Radiasi Ultraviolet B terhadap Manusia. *Peneliti Bidang Pengkajian Ozon Dan Polusi Udara, LAPAN*, 22–26.
- Chobir, A., Andang, A., & Hiron, N. (2017). Sistem deteksi elevasi permukaan air sungai dengan sensor ultrasonic berbasis arduino. *Jurnal Siliwangi*, 3(1), 149–155. [file:///C:/Users/USER-Pc/Downloads/241-543-1-SM \(1\).pdf](file:///C:/Users/USER-Pc/Downloads/241-543-1-SM%20(1).pdf)
- Corporation, A. (2015). *Data Sheet ATmega328P*. 1–294. [http://ww1.microchip.com/downloads/en/DeviceDoc/Atmel-7810-Automotive-Microcontrollers-ATmega328P\\_Datasheet.pdf](http://ww1.microchip.com/downloads/en/DeviceDoc/Atmel-7810-Automotive-Microcontrollers-ATmega328P_Datasheet.pdf)
- Data, M., & Ratings, A. M. (2016). LCD-020N004L Vishay 20 x 4 Character LCD STANDARD VALUE UNIT ELECTRICAL CHARACTERISTICS CONDITION UNIT LCD-020N004L. *Datasheet*, 1–3.
- Gardjito, M., & Wardana, A. S. (2003). Hortikultura teknik analisis pasca panen. *Transmedia Mitra Printika*. Yogyakarta.
- Habib, F. N. A. (2018). *OTOMATISASI KONTROL OKSIGEN TERLARUT PADA TAMBAK UDANG MENGGUNAKAN SENSOR DO DENGAN TAMPILAN HMI BERBASIS PLC*. Universitas Diponegoro.

- Hadi, F., & Rivai, M. N. (1980). *Ilmu Teknik Penyehatan*. Departemen Pendidikan dan Kebudayaan.
- Haifan, M. (2017). Review Kajian Aplikasi Teknologi Ozon untuk Penanganan Buah, Sayuran dan Hasil Perikanan. *Jurnal IPTEK*, 1(1), 15–21.
- Handson Technology. (2005). 2 Channel 5V Optical Isolated Relay Module. *Datasheet*, 74(2), 24.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15773677](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15773677)
- Katz, J. (ed. ), & Noyes Data Corp. NJ (USA) eng, P. R. (1980). *Ozone and chlorine dioxide technology for disinfection of drinking water*. Park Ridge, N.J. (USA) NDC.
- Kho, D. (2017). *Pengertian Relay dan Fungsinya*.  
<https://teknikelektronika.com/pengertian-relay-fungsi-relay/>
- Kim, S., & Kim, H. (2016). A new metric of absolute percentage error for intermittent demand forecasts. *International Journal of Forecasting*, 32(3), 669–679. <https://doi.org/https://doi.org/10.1016/j.ijforecast.2015.12.003>
- Kogelschatz, U., Eliasson, B., & Egli, W. (1997). Dielectric-Barrier Discharges. Principle and Applications. *Journal de Physique IV Proceedings*, 07(C4), C4-47-C4-66. <https://doi.org/10.1051/jp4:1997405>
- Kuswanto, H. (2010). *ALAT UKUR LISTRIK AC (ARUS, TEGANGAN, DAYA) DENGAN PORT PARALEL*. <https://core.ac.uk/download/pdf/12350467.pdf>
- Lozowicka, B., Jankowska, M., Hrynko, I., & Kaczynski, P. (2016). Removal of 16 pesticide residues from strawberries by washing with tap and ozone water, ultrasonic cleaning and boiling. *Environmental Monitoring and Assessment*, 188(1), 1–19. <https://doi.org/10.1007/s10661-015-4850-6>
- Lubis, A., & Sukardi, S. (2020). Pembangkit Tegangan Tinggi Frekuensi Tinggi Kumbaran Tesla untuk Generator Ozon. *JTEIN: Jurnal Teknik Elektro Indonesia*, 1(2), 116–123. <https://doi.org/10.24036/jtein.v1i2.34>
- Maariz, A. (2021). *Mikrokontroler*.  
<https://raharja.ac.id/2021/10/12/microcontroller/>
- Muhtahdi Tien, Sugiyono, A. F. (2011). *ILMU PENGETAHUAN BAHAN PANGAN (KETIGA)*. ALFABETA, CV.
- Nur, M, Bonifaci, N., & Denat, A. (1997). Non-Thermal Electron Mobility in High Density Gaseous Nitrogen and Argon in Divergent Electric Field. *Xxii Icpig*, 298, IV: 12-13. <http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA357744#page=263>
- Nur, M, Supriati, A., Setyaningrum, D., Gunawan, G., Munir, M., & Sumariyah, S. (2009). Ozone Generator by Using Dielectric Barrier Discharge Plasma Technology With Spiral-Cylinder Configuration: Comparison Between

Oxygen and Air As Sources. *Berkala Fisika*, 12(2), 69–76.

- Nur, Muhammad. (2011). *Plasma Physics and Applications*. Badan Penerbit Universitas Diponegoro Semarang.
- Pertiwi Kristin. (2016). Perancangan Alat Pembuka Pintu Via Sms Berbasis Mikrokontroler Atmega 328. In *Angewandte Chemie International Edition*, 6(11), 951–952. POLITEKNIK NEGERI SRIWIJAYA.
- Pranatha, Y. (2020). Sistem Monitoring Kualitas Udara Berbasis Internet of Things. *ReserchGate*, 1, 26–27.
- Prasetyaningrum, A., Ratnawati, Jos, B., Yudhy Darmawan, & Purwati, D. (2019). *Aplikasi Teknologi Ozonasi Untuk Pengolahan Bahan Makanan dan Pembuatan Obat Hayati*.
- Qurniasih, N. (2019). *Perlindungan Lapisan Ozon*. P2KLH DLHK DIY. <http://dlhk.jogjaprovo.go.id/perlindungan-lapisan-ozon>
- Riski, M. D. (2019). Rancang Alat Lampu Otomatis Di Cargo Compartment Pesawat Berbasis Arduino Menggunakan Push Button Switch Sebagai Pembelajaran Di Politeknik Penerbangan Surabaya. *Prosiding SNITP (Seminar Nasional Inovasi Teknologi Penerbangan (SNIP))*, 1–9. <http://ejournal.poltekbangsby.ac.id/index.php/SNITP/article/view/414>
- Roy, S., Choudhury, B., Johnson, J., & Schindler-Tyka, A. (2021). Application of dielectric barrier discharge for improving food shelf life and reducing spoilage. *Scientific Reports*, 11(1), 1–9. <https://doi.org/10.1038/s41598-021-96887-3>
- Rusdi, U. D., & Suliasih, N. (2002). *Ozonisation and milk quality*. 4(2), 96–107.
- Saleh, M., & Haryanti, M. (2017). Rancang Bangun Sistem Keamanan Rumah Menggunakan Relay. *Jurnal Teknologi Elektro, Universitas Mercu Buana*, 8(2), 87–94. <https://media.neliti.com/media/publications/141935-ID-perancangan-simulasi-sistem-pemantauan-p.pdf>
- Schulz, A., & Merli, S. (2013). *Dielectric barrier discharge (DBD)*. University of Stuttgart. <https://www.igvp.uni-stuttgart.de/en/research/plasma-technology/sources/barrier/#:~:text=An advantage of the DBD,adapted to a particular application.>
- Sudaryana, I. G. S. (2015). Pemanfaatan Relai Tunda Waktu Dan Kontaktor Pada Panel Hubung Bagi (Phb) Untuk Praktek Penghasutan Starting Motor Star Delta. *Jurnal Pendidikan Teknologi Dan Kejuruan*, 12(2). <https://doi.org/10.23887/jptk.v12i2.6478>
- Sudhan, R. H., Kumar, M. G., Prakash, A. U., Devi, S. A. R., & P., S. (2015). Arduino Atmega-328 Microcontroller. *Ijireeice*, 3(4), 27–29. <https://doi.org/10.17148/ijireeice.2015.3406>
- Syafarudin, A., & Novia. (2013). Produksi Ozon dengan Bahan Baku Oksigen

- Menggunakan Alat Ozon Generator. *Jurnal Teknik Kimia*, 19(2), 1–9.
- Syahwil, M. (2013). *Panduan Mudah Simulasi Dan Praktek Mikrokontroler Arduino* (Cetakan 1).
- Talebizadeh, P., Rahimzadeh, H., Babaie, M., Anaghizi, S. J., Ghomi, H., Ahmadi, G., & Brown, R. (2015). Evaluation of residence time on nitrogen oxides removal in non-thermal plasma reactor. *PLoS ONE*, 10(10), 1–16. <https://doi.org/10.1371/journal.pone.0140897>
- Thaer, Y., Maria D'onghia, A., & Ricelli, A. (2013). The use of ozone in strawberry post harvest conservation. In *Biological Control of Fungal and Bacterial Plant Pathogens IOBC-WPRS Bulletin* (Vol. 86, Issue June).
- Tjahjanto, R. T., Wardhani, S., & Anggraini, U. (2012). *Studi Sintesis Ozon Dengan Metode Lucutan Plasma. 1*(April), 1–2.
- Veronika Simbar, R. S., & Syahrin, A. (2017). PROTOTYPE SISTEM MONITORING TEMPERATUR MENGGUNAKAN ARDUINO UNO R3 DENGAN KOMUNIKASI WIRELESS. *Jurnal Teknik Mesin*, 5(4), 48. <https://doi.org/10.22441/jtm.v5i4.1225>
- Wills, R.H, Lee, T. ., Graham, W. ., Glasson, & Hall, E. . (1981). *Post Harvest, an Introduction to The Physiology and Handling of Fruit and Vegetables*. Hongkong : Sout China Printing Co.
- Yanuriati, A., Parwiyanti, Prabawati, S., & Yulianingsih. (2009). INHIBITION OF DUKU ( *Lansium domesticum* ). *Proceeding of International Seminar Current Issues and Challenges in Food Safety*, 287–295.
- Yulianto, E., Restiwijaya, M., Sasmita, E., Arianto, F., Kinandana, A. W., & Nur, M. (2019). Power analysis of ozone generator for high capacity production. *Journal of Physics: Conference Series*, 1170(1). <https://doi.org/10.1088/1742-6596/1170/1/012013>